GIN ACCESSORIES



SAI TRUMAN ENTERPRISES www.saitruman.in





MILLING AND MC ACCESSORIES

HYDRAULIC MACHINE VICE

'GIN' Hydraulic Machine Vice is a suitable hydraulic vice for Milling machine. Can also be used on a machining centre.

- Operates on handle movement as in mechanical vices.
- High clamping force can be achieved by effortless handle movement which eliminates hammering on handle.

MODEL	HTDIW WAL	JAW DEPTH	MAX. JAW OPENING
GIN-HVA-100-01	100	36	170
GIN-HVA-125-01	125	46	220
GIN-HVA-150-01	150	51	300
GIN-HVA-200-01	200	62	300



LOCK DOWN JAW HYDRAULIC MACHINE VICE

Lock Down Jaw Design eliminates jaw lift and work piece tilt.

MODEL	JAW WIDTH	JAW DEPTH	MAX. JAW OPENING	OVERALL LENGTH
GPHV-125	130	55	220	570
GPHV-160	160	58	310	625
GPHV-200	200	63	310	725



MC COMPACT HYDRAULIC VICE

Compact version of GPHV model above.

MODEL	JAW WIDTH	JAW DEPTH	MAX. JAW OPENING	OVERALL LENGTH
GCHV-100 V	101	48	125	470
GCHV-130 V	131	55	180	535
GCHV-160 V	161	58	240	625
GCHV-200 V	201	63	280	700



UNIVERSAL 3-WAY ANGLE VICE

MODEL	JAW WIDTH	JAW DEPTH	MAX. JAW OPENING
GIN-VW3	80	30	90
GIN-VW4	106	48	105
GIN-VW5	132	40	140



ELECTRONIC (OPTICAL) EDGE FINDER

'GIN' Electronic edge - nder with LED is most convenient to use as the tip of the Touch Probe is brought near the edge of the job, red light powered by enclosed battery glows as the ball probe comes in contact with the edge.

- ☐ Concentricity of ball-probe and shank within 0.005 mm.
- ☐ Repeatability of work location within 0.01mm.
- ☐ Spring loaded Ball-probe to prevent damage of probe.

MODEL	SHANK DIA	BALL DIA	TOTAL LENGTH	TYPE
GIN TSOE 20S	20	10	120	WITH LED ONLY
GIN TSOE 20L	20	10	158	WITH LED ONLY
GIN TSOE 20LB	20	10	158	WITH LED AND BEEPER



Z-AXIS PRESET GAUGE - OPTICAL TYPE Model GIN-ZOP-50

Used for setting tool height 50mm. Its base has a built-in magnet hence can be used vertically as well as horizontally. The red lamp lights up when touched. Height can be micro adjusted by gauge block.








MILLING AND MC ACCESSORIES

Z-AXIS ZERO SETTER - Model Z-50

Z-Axis Zero Setter is used for zero setting of tool height from the machine table on machining centres. Setting height: 50.00±0.01mm

FEATURES

- ☐ Large measuring surface to assure high measuring accuracy.
- ☐ Low Spring force to avoid breakage of small end mill and drill.
- D Easy to calibrate by a ground parallel or gauge block.





Z-AXIS ZERO SETTER - ZPM SERIES - CERAMIC

- ☐ Least measuring diameter of cutting tool: 0.1mm
- ☐ Scratch proof ceramic measuring face

MODEL	BASE TYPE
ZPM-50	Plain
ZPM-50 P	Magnetic
ZPM-100 P	Magnetic ON/OFF



ZPM-100P

GRINDING ACCESSORIES

TOOL MAKER VICE GIN VB

All hardened and tempered 50-60 HRC having parallelism and squareness within 0.005 mm. It has improved design where the pin is not required to change position for changing jaw opening.

MODEL	OVERALL WIDTH	JAW DEPTH	MAX. JAW OPENING	OVERALL LENGTH
GIN-VB 15	36	20	40	100
GIN-VB 20	50	25	80	150
GIN-VB 25	63	32	90	175
GIN-VB 30	73	35	100	190
GIN-VB 35	88	40	130	235
GIN-VB 40	100	45	130	245
GIN-VB 50	125	50	160	285



PRECISION UNIVERSAL VICE

Model GIN-CHM has horizontal swivel 360° and tilts 45° vertically. Most suitable for precision grinding, milling, EDM etc. having micro adjustment of tilt angle.

MODEL	JAW WIDTH	JAW DEPTH	MAX, JAW OPENING
CHM-60	70	30	80
CHM-125	125	43	150



PRECISION STEEL PARALLELS SET MODEL GIN-P100

'GIN' Precision steel parallels set consists of 8 pairs (16 pieces) of flat steel parallels as per sizes given below and one pair (2 pieces) of thin edged parallels for use where minimum contact area with the job is required.

MODEL GIN-P100 HAVING TOTAL 18 PCS.

SIZES OF FLAT STEEL PARALLELS	PCS
5X 16X100	2
5X 18X100	2
8X24X100	2
10X30X100	2
12 X 36 X 150	2
14 X 48 X 150	2
18 X 60 X 150	2
22 X 62 X 150	2
15 X 31 X 2.5 X 200 (THIN EDGE TYPE)	2







GRINDING ACCESSORIES

MAGNETIC INDUCTION BLOCKS


Nonmagnetic GT1, GT2 can be magnetic after being inducted on any magnetic chuck.

MODEL	AxBxLxPcs.	TYPE
GIN-GT 1	25 x 50 x 100 x 2 pcs.	Plain
GIN-GT 2	46 x 49 x 58 x 2 pcs.	V-Type



SINE BAR MODEL GIN-S100

Accuracy 0.005mm in parallelism and center distance of rollers.





SINE PLATE WITH MAGNETIC CHUCK

Accuracy 0.005mm in parallelism, squareness and center distance of rollers.

MODEL	MAGNETIC TOP SIZE	OVERALL HEIGHT IN CLOSED POSITION
SP47M	175 x 100	87
SP66M	150 x 150	87
SP510M	250 x 125	87
SP612M	300 x 150	87



COMPOUND SINE PLATE WITH MAGNETIC CHUCK

MODEL	MAGNETIC TOP SIZE	OVERALL HEIGHT IN CLOSED POSITION
CSP47M	175 x 100	122
CSP66M	150 x 150	122
CSP510M	250 x 125	122
CSP612M	300 x 150	122







OTHER GIN PRODUCTS



PRECISION KEYLESS DRILL CHUCK



NC DRILL CHUCK - INTEGRATED TYPE



BT TYPE TAPER WIPER



CERAMIC EDGE FINDER

BORING HEAD SETS AND BORING TOOLS



MODEL GIN-BHC2 (SET) WITH THREE NOS. INDEXABLE INSERTS TYPE BORING BARS.



MODEL GIN-BHC3 (SET) WITH THREE NOS. INDEXABLE INSERTS TYPE BORING BARS.



PRECISION BORING TOOLS WITH INDEXABLE CARBIDE INSERTS



MODEL GIN-BH2084 (SET)



BORING HEAD BHC Series



BORING HEAD HIGH PRECISION FOR SMALL DIAMETER



UNIVERSAL BORING AND FACING MASTER HEAD



ANGLE SINE DRESSER



PUNCH FORMER WITH RADIUS DRESSING ATTACHMENT MODEL GIN-PFB



PUNCH GRINDER MODEL GIN-PGA



PUNCH GRINDER MODEL GIN-PGAS



MOTOR PUNCH GRINDER



RADIUS AND ANGLE DRESSER MODEL GIN-RDB



RADIUS AND ANGLE DRESSER MODEL GIN-RDA



RADIUS DRESSER MODEL GIN-RD40



PRECISION DUPLEX DRESSER



PUNCH FORMER (BIG)



3 JAWS PUNCH FORMER



ER COLLET PUNCH FORMER



MOTOR PUNCH FORMER

TOOLFAST



OTHER GIN PRODUCTS



UNIVERSAL WHEEL DRESSER



DIAMOND CBN FLAT WHEEL TRUER



FLANGES FOR GRINDING MACHINES



WHEEL BALANCING STAND



PERMANENT MAGNETIC CHUCK



PERMANENT MAGNETIC CHUCK (VERTICAL TYPE)



ROTARY PERMANENT MAGNETIC CHUCK



ELECTRICALLY CONTROLLED PERMANENT MAGNETIC CHUCK



GAUGE BLOCKS



PIN GAUGE SET



DEMAGNETIZER - HANDY TYPE & STANDARD TYPE



SUPER THIN CHUCKS FOR MILLING



SUPER INDEX SPACER



UNIVERSAL TILTING ROTARY TABLE



CHAMFERING MACHINES



UNIVERSAL CUTTER GRINDER



ADJUSTABLE FIXTURES AND VICES FOR WIRE EDM



WIRE EDM DIVIDING DEVICE



ELECTRODE VICE



SELF-CENTERING VICE



CENTER PUNCH FORMER



THREAD GRINDING SLIDER



PRECISION UNIVERSAL THIN CHUCK PAEDESTAL



FIXTURES AND ELEMENTS FOR CMM





OTHER GIN PRODUCTS



3D TASTER



CENTERING INDICATOR



CONCENTRICITY MEASURING INSTRUMENT



TOOL PRE-SETTER



SMALL DIA FINE BORING HEAD



LARGE DIA BORING HEAD



MICRO BORING HEAD



QUICK CHANGE TAPPING CHUCKS



CUTTING-OFF MACHINE



BALL ENDMILL GRINDER



SCREW TAP GRINDER



AIR TAPPING MACHINE



Authorised Distributor





09890189891 / 09373906969 / 09284480807



info@saitruman.in



www.saitruman.in



Shop No. 8, Plot No. BG-74, Jay Tulja Bhavani Industrial Complex, Near Corporation Bank, Opp. Century Enka, Telco Road, MIDC Bhosari, Pune - 411026, Maharashtra, India.