



MINIATURE WEDGE CLAMP

This is a miniature version of wedge clamp for lower height workpieces which do not need too much clamping force. Clamping method is same as wedge clamp, just a tapped hole required on the fixture plate with stops.





MODEL	A		B	C	CSK Head Screw	D	E	F	Tightening Torque Nm Max	Clamping Force Max	N.W. Kgs.
	Min	Max									
MWC-6	15	17	12	15	M-6 x 16	7.5	8.5	4	7	3.5 kN	0.015
MWC-8	18.5	21.5	16	18.5	M-8 x 20	10	11.5	5	18	5 kN	0.03

2D & 3D FILES AVAILABLE ON REQUEST

SIDE CLAMP - WEDGE TYPE

This version of wedge clamp enables wedge clamping on one side only for clamping one workpiece on a fixture or directly on a machine table. Models for machine clamping come with a suitable T-Nut



MODEL	Suitable for T-Slot Size	A		B	C	E	D x L	F	G	H	Clamping Force Max	N.W. Kgs.
		Min	Max									
WITHOUT T-NUT MODELS												
SWC-8	-	54	57	31	16	2	M-8 x 20	28	12.5	19	15 kN	0.30
SWC-12	-	77	81	42	23	3.5	M-12 x 30	38	16.5	24.5	30 kN	0.80
WITH T-NUT MODELS												
SWC-814	14	54	57	31	16	2	M-8 x 20	28	12.5	19	15 kN	0.38
SWC-816	16	54	57	31	16	2	M-8 x 20	28	12.5	19	15 kN	0.40
SWC-818	18	54	57	31	16	2	M-8 x 20	28	12.5	19	15 kN	0.43
SWC-1218	18	77	81	42	23	3.5	M-12 x 30	38	16.5	24.5	30 kN	1.00
SWC-1220	20	77	81	42	23	3.5	M-12 x 30	38	16.5	24.5	30 kN	1.04
SWC-1222	22	77	81	42	23	3.5	M-12 x 30	38	16.5	24.5	30 kN	1.10

2D & 3D FILES AVAILABLE ON REQUEST